



## DH Range - Hydraulic Vane Dampers

The DH range of quarter-turn hydraulic vane dampers are engineered to provide a simple, reliable solution to inherent problems often seen in swing check valve applications: namely down line surges from rapid disc reseating and excessive valve wear due to the disc flutter produced at some flow rates.

The rugged design features a self-contained hydraulic system that incorporates an easily adjusted valve for simple yet precise throttling control in both directions.

This closed loop hydraulic circuit protects the valve from potential valve contamination from atmosphere that is possible with some dampening solutions. Direct coupling facilitates installation.

Available in four sizes, the DH range handles up to 9,800Nm (86,700 lbf-in) of torque to accommodate a wide range of dampening requirements. For applications with requirements in excess of 9,800 Nm, consult Rotork Fluid Systems for a custom engineered solution.


### Features:

- ATEX certified.
- Environmental protection: IP 6X.
- Temperature class: T5 (-20° to 100°C)\*.
- Visual position indication.

DH DAMPER BODY SIZE	MAXIMUM TORQUE
DH100	100 kgf-m
DH200	200 kgf-m
DH500	500 kgf-m
DH1000	1000 kgf-m

\*Lower temperature limits can be achieved through the use of alternative materials. Contact Rotork Fluid Systems.





- 1 Damper
- 2 Flow Regulator Valve
- 3 Oil Plug

### Manufacturing Centres

**Germany  
Melle**

Tel: +49 (0)5422 9414-0  
Fax: +49 (0)5422 9414-10  
sales@rfs-pci.de

**Italy  
Tassignano - Lucca**

Tel: +39 0583 93061  
Fax: +39 0583 934612  
fluid@fluidsystem.it

**Sweden  
Falun**

Tel: +46 (0)23-587 00  
Fax: +46 (0)23-587 45  
info@remotetecontrol.se

**United States  
Rochester, New York**

Tel: +1 585 247 2304  
Fax: +1 585 247 2308  
rfsinfo@rotork.com

All Rotork Fluid Systems actuators are manufactured under a third party accredited ISO9001:2000 quality assurance programme.

Published and produced by Rotork Fluid Systems. Rotork recognises all registered trademarks.

As we are continually developing our products, their design is subject to change without notice. POWTG0208

### Centres of Excellence

**Australia  
Bayswater, Victoria**

Tel: +61 (0) 3 9729 8882  
Fax: +61 (0) 3 9729 8884  
sales@rfsaustralia.com

**Canada  
Calgary, Alberta**

Tel: +1 403 569 9455  
Fax: +1 403 569 9414  
info@rotork.ca

**Singapore**

Tel: + 65 6457 1233  
Fax: + 65 6457 6011  
mail@rotork.com.sg

**Spain  
Bizkaia**

Tel: +34 94 676 6011  
Fax: +34 94 676 6018  
rotork@rotork.es

**United Kingdom  
Bramley, Leeds**

Tel: +44 (0)113 236 3312  
Fax: +44 (0)113 205 7266  
sales@rotorkfluidsystem.co.uk

**United States  
Houston, Texas**

Tel: +1 713 856 5640  
Fax: +1 713 856 8127  
rfsinfo@rotork.com

**United States  
Petaluma, California**

Tel: +1 707 769 4880  
Fax: +1 707 769 4888  
rfsinfo@rotork.com